

## UNIVERSAL MILLING MACHINES

AJUM 200/250/320/400



## UNIVERSAL MILLING MACHINES

The Ajax range of horizontal universal milling machines, like their predecessors the No1, No2 & No4, they are ideal for use in any environment. Catering to both maintenance and production environments. Properly built by engineers to last.

Because these machines are ergonomically designed, combining the latest design techniques with the highest standard of quality. So this UM range includes sequential speeds ranges enabling the operator to machine a wider variety of more sophisticated materials. CE & CA Marked.



AJUM 320R

MODEL	AJUM 200S	AJUM 250	AJUM 320	AJUM 400
Working surface (mm)	1,270 x 300	1,120 x 250	1,350 x 320	1,600 x 400
T-Slots, number and size	3 x 16mm	3 x 14mm	5 x 18mm	5 x 18mm
T-Slots centres (mm)	80	50	63	80
Swivel movement	+/- 45deg	+/-45deg	+/-45deg	+/-45deg
Longitudinal range (mm)	930	820	1,000	1,250
Cross range (mm)	390	280	320	360
Vertical range (mm)	420	410	460	460
Distance from centre of	0 - 420	0 - 440	0 - 490	0 - 490
spindle to table (mm)				
Weight on table (kg)	200	400	650	650
SPINDLE				
Spindle taper	ISO 40	ISO40	ISO50	ISO50
Number of speeds	9	Variable	Variable	Variable
Speed range (rpm)	45 - 1,100	40 - 2,000	32 - 1,600	32 - 1,600
FEEDS				
Number of feeds	6	Variable	Variable	Variable
Longitudinal (mm/min)	18 - 320	10 - 1,000	10 - 1,000	10 - 1,000
Cross (mm/min)	50 - 2,200	10 - 1,000	10 - 1,000	10 - 1,000
Vertical (mm/min)	Manual	4 - 415	4 - 415	4 - 415
Rapids longitudinal (mm/min)	1,040	2,500	2,500	2,500
Rapid cross (mm/min)	2,200	2,500	2,500	2,500
Rapid vertical (mm/min)	360	1,040	1,040	1,040
MOTORS				
Spindle drive motor	3.7 Kw	4 Kw	7.5 Kw	7.5 Kw
Feed motor	0.75 Kw	1.5 Kw	2.2 Kw	2.2 Kw
Coolant motor	0.1 Kw	0.1 Kw	0.1 Kw	0.1 Kw
WEIGHT AND DIMENSIONS				
Floor space (cm)	136 x 1180	170 x 179	315 x 211	325 x 211
Nett weight (kg)	1,100	2,000	3,200	3,500

## **TECHNICAL SPECIFICATIONS**



Ajax Machine Tools International Ltd Unit 360, Ampress Lane, Ampress Park, Lymington, Hampshire, UK SO41 8JX

Telephone: +44 (0)1590 676000 Fax: +44 (0)1590 676001 sales@ajax-mach.co.uk **www.ajax-mach.co.uk** 



