

SLOTTING MACHINES

AJSL 200/300/350



AJSL 200/300/350

SLOTTING MACHINES

AJSL 200

This machine is the ideal size for the average workshop and has been generously designed with this in mind. Castings are heavily ribbed internally giving perfect rigidity under maximum cutting conditions. The well proportioned slideways and table provide maximum rigidity.

AJSL 300 & 350

These heavy duty sloting machines are sturdy in their construction withthe body being mounted on a large base giving maximum rigidity during heavy cutting conditions. The table may be swivelled in any position and the generous slideways give good support. The wide availability of speeds and feeds makes this machine and the large machines detailed below, the most versatile range on the market at the present time.



Model	AJSL200	AJSL300	AJSL350
Stroke (mm)	200	300	350
Number of Speeds	4	4	4
Speeds (strokes/min)	23/42/66/87	23/42/66/87	23/42/66/87
TABLE			
Tabe Size (mm)	400 Dia	560 Dia	560 Dia
Table Rotation (degrees)	360	360	360
Maximum Distance			
table to Ram (mm)	280	460	470
Cross Feed Range			
per Stroke (mm)	0.2-1	0.2-1	0.2-1
Vertical Traverse (mm)	220	320	320
TOOL HEAD			
Down Feed (mm)	200	320	320
Maximum Tool Section (mm)	20 x 20	25 x 25	25 x 25
Auto Down Feed			
per Stroke (mm)	0.2-1	0.2-1	0.2-1
WEIGHT AND DIMENSIONS			
Motor Power (Kw)	1.4	4	4
Net Weight (kg)	900	1,500	1,550
Gross Weight (kg)	995	1,650	1,950
Dimensions (cm)	120 x 75 x 157	190 x 110 x 210	190 x 110 x 210

TECHNICAL SPECIFICATIONS





Ajax Machine Tools International Ltd
Unit 360, Ampress Lane, Ampress Park,
Lymington, Hampshire, UK SO41 8JX

Telephone: +44 (0)1590 676000 Fax: +44 (0)1590 676001 sales@ajax-mach.co.uk **www.ajax-mach.co.uk**



